

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION FOR LETTERS PATENT

**In-Vehicle Audio Browser System Having a  
Common Usability Model**

Inventor(s):

Mikky Anderson

Bruce L. Johnson

William Sproule

Polita Huff

1 **TECHNICAL FIELD**

2 This invention relates to an audio browser for vehicles and, more  
3 particularly, to the application of a common usability model to multiple modes of  
4 operation of the vehicle car stereo.

5  
6 **BACKGROUND OF THE INVENTION**

7 Many car stereo systems (including vehicle computer systems and vehicle  
8 entertainment systems) include multiple bands, such as AM, FM1, FM2, and CD.  
9 The selected band represents the operating state of the car stereo (e.g., receiving  
10 AM stations, receiving FM stations, or playing an audio CD). After selecting a  
11 particular band, the user selects a preset button to select between radio stations (or  
12 CD in a CD Changer) or a tuning buttons (seek and/or scan) to tune a particular  
13 radio station (or select a particular CD track).

14 Certain vehicle computer systems provide the opportunity to add new  
15 features and functions to existing car stereo systems. For example, a vehicle  
16 computer system may provide navigational functions in addition to conventional  
17 car stereo functions.

18 As more functions are added to car stereos (or other vehicle computer  
19 systems), it may be necessary to add additional buttons to the car stereo to support  
20 the new functions. It is important to minimize the number of changes to the  
21 current car stereo model to allow the user the easiest adoption path for the new  
22 functionality and minimize the negative effects of putting more secondary  
23 activities into the car environment. The primary task of a driver of a vehicle is the  
24 driving of the vehicle, not manipulating the car stereo controls. Adding a  
25 significant number of new buttons to support the new car stereo functions may

1 distract the driver from the primary task of driving the vehicle. Therefore it is  
2 important to provide a usability model that is familiar to the user of the car stereo  
3 to minimize distractions while driving the vehicle.  
4

## 5 **SUMMARY OF THE INVENTION**

6 The systems and methods described herein provide a common usability  
7 model for multiple modes of operation of a car stereo system. The basis of the  
8 invention is the extension of the current car stereo into a more flexible “audio  
9 browsing” model. The common usability model extends the typical car stereo  
10 usability model with new functionality while maintaining the typical car stereo  
11 functions that have been learned by many vehicle users. By maintaining typical  
12 car stereo functions, users can more easily interact with a more intelligent device  
13 because they already know how to perform, for example, the radio and CD player  
14 functions. The addition of a small number of buttons to implement new car stereo  
15 functionality minimizes the differences between the new audio browser and  
16 conventional car stereos to the user of the new audio browser.

17 According to one aspect of the invention, an audio browser includes a first  
18 set of buttons that select a preset item. A second button selects between a set of  
19 primary audio control bands and a set of conditional audio control bands. A third  
20 button selects a band from the set of bands selected by the second button.

21 Another embodiment of the invention includes a fourth button that activates  
22 a function that varies based on the selected band.  
23  
24  
25

## **BRIEF DESCRIPTION OF THE DRAWINGS**

The same reference numerals are used throughout the drawings to reference like components and features.

Fig. 1 is a diagrammatic illustration of an in-vehicle audio browser.

Fig. 2 is a flow diagram illustrating an embodiment of a procedure for handling operation of the “BND” button.

Figs. 3-8 illustrate a car stereo faceplate in different modes of operation.

## **DETAILED DESCRIPTION**

Fig. 1 shows an example implementation of an in-vehicle audio browser 20. The audio browser 20 has a centralized computer 21 coupled to various peripheral devices, including speakers 25, vehicle battery 26, and antenna(s) 27. The computer 21 is assembled in a housing 28 that is sized to be mounted in a vehicle dashboard, similar to a conventional car stereo. Preferably, the housing 28 has a form factor of a single DIN (Deutsche Industry Normen). But, it possibly could be housed in a 2 DIN unit or other special form factor for an OEM. The methods and systems described herein may be applied to any type of vehicle computer system, vehicle entertainment system, or vehicle stereo system. In a particular embodiment, the in-vehicle audio browser is a car stereo system.

The computer 21 runs an open platform operating system which supports multiple applications. Using an open platform operating system and an open computer system architecture, various software applications and hardware peripherals can be produced by independent vendors and subsequently installed by the vehicle user after purchase of the vehicle. This is advantageous in that the

1 software applications do not need to be dedicated to specially designed embedded  
2 systems. The open hardware architecture is preferably running a multitasking  
3 operating system. One preferred operating system is a Windows<sup>®</sup> brand operating  
4 system sold by Microsoft Corporation, such as "Windows XP<sup>TM</sup>", "Windows  
5 NT<sup>®</sup>", "Windows CE<sup>TM</sup>", or other derivative versions of Windows<sup>®</sup>. A  
6 multitasking operating system allows simultaneous execution of multiple  
7 applications.

8 The computer 21 includes at least one storage media which permits the  
9 vehicle user to store and transfer data (i.e. audio content) and possible new  
10 programs. One aspect of the invention is the ability to introduce new audio content  
11 into the in-vehicle environment. The purpose of the storage media component is to  
12 allow for the transportation of audio content in a format that can be played back  
13 and navigated by the audio browser. The storage media must either be removable  
14 or have some other mechanism (such as wireless access) for update. In the  
15 illustrated implementation, the computer 21 has a CD ROM (or DVD-ROM) drive  
16 29 which reads application-related CDs, as well as musical, video, game, or other  
17 types of entertainment CDs. In this manner, the CD ROM drive 29 performs a  
18 dual role of storage drive and entertainment player. A CD can then be used to  
19 transport the audio content to the audio browser. Also, a hard disk drive (not  
20 shown in Fig. 1) is included on the computer module which can be used for storing  
21 both application programs and user data. In combination with an optional 802.11x  
22 interface 24 the hard disk drive can have audio content wirelessly transported to  
23 the audio browser. 802.11x represents a family of IEEE standards for wireless  
24 networks used for the wireless communication of data between various devices.  
25 Alternatively, other wireless communication standards may be used to

1 communicate data between the audio browser 20 and another computing device,  
2 such as a personal computer providing data to and from the audio browser.

3 The computer 21 has an optional smart card reader 31, and dual PCMCIA  
4 card sockets 32 which accept PCMCIA card types II and III or CF cards.  
5 Hereinafter, the acronym "PC-Card" will be used in place of the acronym  
6 "PCMCIA." The smart card and/or any bulk storage PC-Card (memory or hard  
7 drive) can also be used to transport audio content to the audio browser.

8 The storage drives are mounted in a stationary base unit 33 of housing 28.  
9 The base unit 33 is constructed and sized to be fixedly mounted in the dashboard.  
10 The housing 28 also has a faceplate 34 which is pivotally mounted to the front of  
11 the base unit 33. The faceplate can be rotated to permit easy and convenient  
12 access to the storage drives. It is possible to build an audio browser without a  
13 pivoting faceplate, but there still has to be a way to access to the removable storage  
14 media. This could be done by having a CF card reader mounted vertically on the  
15 faceplate, or having only 802.11x access to an internal hard drive.

16 Faceplate 34 functions as an operator interface, having a keypad 35 and a  
17 display 36. The faceplate is mountable for viewing by a vehicle operator. The  
18 display 36 is preferably a backlit LCD panel having a rectangular array of pixels  
19 that are individually selectable for illumination or display. However, it is also  
20 possible to have only a set of alpha-numeric (text) enunciator for the display. An  
21 enunciator based display will have to have a defined set of areas to display band,  
22 preset, and song information. An exemplary set of areas are: 3 characters band  
23 area, 1 character preset number area, 10 character preset title area, and 15 character  
24 song information area.  
25

1 The LCD panel is preferably a medium-resolution, bit-mapped display  
2 system having at least 10,000 pixels. In the described implementation, the array of  
3 pixels has a size of at least 256 x 64 pixels, which is quite limited in comparison to  
4 most desktop displays. The operating system of computer 21 interacts with  
5 faceplate keypad 35 and faceplate display 36 as peripheral devices when the  
6 faceplate 34 is attached to the housing 28. The operating system will allow for and  
7 abstract display models for both the enunciator based display type and bitmap  
8 based display. The keypad 35 includes multiple number keys, labeled "1" through  
9 "6".

10 The faceplate 34 has a "Rev" button 40 that represents a reverse (or rewind)  
11 function, a "Play/Pause" button 42 that toggles operation between play and pause  
12 functions, and a "Fwd" button 44 that represent a forward (or advance) function.  
13 The faceplate 34 also has a volume control input 38, an "ACT" button 46 that  
14 represents an "action" function, a "SRC" button 48 that represents a "source"  
15 function, and a "BND" button 50 that represents a "band" function. The operation  
16 of the action, source, and band functions are discussed in greater detail below.

17 A CD slot 52 allows a CD, such as a music CD, to be inserted into the CD  
18 ROM drive 29. Alternatively, a CD may be inserted into CD ROM drive 29 by  
19 pivoting or otherwise moving faceplate 34 such that the CD ROM drive is  
20 accessible by the user. A power button 54 toggles power to the vehicle computer  
21 system 20.

22 In general, the audio browser 20 is used to integrate new audio content and  
23 sources onto one user model and one open platform hardware and software  
24 architecture. The basic mode of operation is the playback of audio content that has  
25 arrived at the audio browser via the required removable media. This audio content

1 has been collected and organized on some remote device (such as a personal  
2 computer) and delivered to the audio browser for playback. The audio content will  
3 include configuration information to instruct the audio browser as to which audio  
4 content is associated with which band/preset content and if there are special  
5 instructions needed for the behavior of the other buttons on the faceplate.

6 The configuration file is represented in an XML manifest. The manifest  
7 contains exemplary information about the behavior and type for each band/preset.

8 Here is an example of the XML:

9  
10 <?xml version="1.0" encoding="utf-8"?>  
11 <Manifest Version="0.5" ID="2452346234"  
12 Name="MikkyA\_Stuff">  
13 <Bands CurrentBand="FM">  
14 <Band ID="FM" Title="FM" Type="radio"  
15 CurrentPreset="1">  
16 <Preset ID="88.5" Title="KPLU 88.5"  
17 Setting="1" Freq="FM:88.5"/>  
18 <Preset ID="96.5" Title="KPNT 96.5"  
19 Setting="2" Freq="FM:96.5"/>  
20 </Band>  
21 <Band ID="WM1" Title="WM1" Type="playlist"  
22 CurrentPreset="2">  
23 <Preset ID="NPR-ME" Title="Morning  
24 Edition" Setting="1" Src="Band0\Preset0\Preset0.ASX"  
25 CurrentIndex="" CurrentTime=""/>  
26 <Preset ID="Market" Title="Market Place"  
27 Setting="3" Src="Band0\Preset2\Preset2.ASX"  
28 CurrentIndex="" CurrentTime=""/>  
29 <Preset ID="CBC-W@6" Title="CBC"  
30 Setting="4" Src="Band0\Preset3\Preset3.ASX"  
31 CurrentIndex="" CurrentTime=""/>  
32 </Band>  
33 <Band ID="WRK" Title="WRK" Type="playlist">  
34 <Preset ID="OutlookToday"  
35 Title="OutlookToday" Setting="1"  
36 Src="OutlookToday\OutlookToday.asx" CurrentIndex=""  
37 CurrentTime=""/>  
38 </Band>



```

1      <Band ID="PT" Title="Phone Tasks"
Type="phonetask">
2          <Preset ID="Phone Mail" Title="Phone
Mail" Setting="1" Src="Phone\PhoneMail\PhoneMail.aspx"
3          CurrentIndex="" CurrentTime="" />
          <Preset ID="Home Tasks" Title="Home
4          Tasks" Setting="2"
Src="Phone\PhoneTaskshome\PhoneTaskshome.aspx"
5          CurrentIndex="" CurrentTime="" />
          <Preset ID="Work Tasks" Title="Work
6          Tasks" Setting="3"
Src="Phone\phonetaskswork\phonetaskswork.aspx"
7          CurrentIndex="" CurrentTime="" />
          </Band>
8      <Band ID="NT1" Title="Navigation"
Type="direction">
9          <Preset ID="To Airport" Title="To
Airport" Setting="1" Src="nav\toairport\toairport.aspx"
10         CurrentIndex="" CurrentTime="" />
          <Preset ID="To Gas Station" Title="To Gas
11         Station" Setting="2"
Src="nav\togasstation\togasstation.aspx" CurrentIndex=""
12         CurrentTime="" />
          <Preset ID="To Museum of Flight"
13         Title="To Museum of Flight" Setting="3"
Src="Nav\tomuseumofflight\tomuseumofflight.aspx"
14         CurrentIndex="" CurrentTime="" />
          </Band>
15      <Band ID="CL" Title="Contact List"
Type="contacts">
16          <Preset ID="Home" Title="Home Numbers"
Setting="1" Src="Contacts\Home.aspx" CurrentIndex=""
17         CurrentTime="" />
          <Preset ID="Work" Title="Work Numbers"
18         Setting="2" Src="Contacts\Work.aspx" CurrentIndex=""
19         CurrentTime="" />
          </Band>
20      </Bands>
21  </Manifest>

```

This example manifest is one possible format that can be used to convey the configuration information from a personal computer or service or even between different audio browsers in different vehicles. With the flexibility of XML, this

1 format can easily change to meet the needs for any new bands that are created in  
2 the future.

3 In the embodiment discussed above, the faceplate 34 is pivotally mounted  
4 to the base unit 33. In alternate embodiments, faceplate 34 may be detached from  
5 the base unit 33. In other embodiments, faceplate 34 is permanently fixed to the  
6 base unit 33.

7 As shown in Fig. 1, many of the buttons on faceplate 34 have been found on  
8 car radios for many years. For example, the keypad 35 contains various radio  
9 station presets. Additionally, the "Rev", "Play/Pause", and "Fwd" buttons should  
10 be familiar to most radio users. However, the "ACT" button has not been included  
11 on previous car stereos and provides additional functionality for the new car stereo  
12 system shown in Fig. 1.

13 The BND button (Fig. 1) causes the car stereo to cycle through the various  
14 bands supported by the car stereo. In a particular embodiment, the car stereo has  
15 the following bands: AM, FM, CD (Audio CD), WM (Windows Media), PT  
16 (Phone Tasks), NT (Navigation Tasks), and CL (Contact Lists). The selected band  
17 identifies the current function of the car stereo, such as playing the selected FM  
18 radio station or providing navigation instructions to a selected destination.

19 The bands are divided into two different classes: primary audio control and  
20 conditional audio control. Primary audio control bands automatically take over the  
21 audio output of the audio browser when they are selected. However, conditional  
22 audio control bands do not immediately take over the audio output of the audio  
23 browser, thereby not interrupting the audio signal listened to by the user. In a  
24 particular embodiment, AM, FM, CD, and WM are primary audio control bands.  
25 Switching to one of these primary audio control bands causes the car stereo system

1 to switch to the source's current state (e.g., a preset radio station or CD track) and  
2 start playing the appropriate audio signal. PT, NT and CL are examples of  
3 conditional audio control bands. Switching to one of these conditional bands does  
4 not interrupt the current audio signal playing from the last selected primary band.  
5 If some action on this conditional band requires an audio output (such as providing  
6 audible directions, making a cellular phone call, or providing an audible task), then  
7 the primary audio will be paused or muted until the audio output is finished being  
8 used by the conditional band. When the conditional band function is finished  
9 using the audio output, the audio is returned to the primary band and the audio  
10 output is resumed.

11 In one embodiment, the "SRC" button (Fig. 1) on the faceplate switches  
12 between primary and conditional band types and the "BND" button switches  
13 between bands within the current type. In another embodiment, the "BND" button  
14 switches between all band types.

15 Fig. 2 is a flow diagram illustrating an embodiment of a procedure 200 for  
16 handling operation of the "BND" button. Initially, a user selects a particular band  
17 on the car stereo using the BND button on the faceplate (block 202). The  
18 functions associated with the other buttons on the faceplate are modified based on  
19 the selected band (block 204). The user then manipulates the other buttons on the  
20 faceplate to perform the desired function (block 206). The car stereo performs the  
21 selected function (block 208). The procedure then determines whether the user has  
22 pressed any buttons on the faceplate (block 210). If the user has not pressed any  
23 buttons, the operation of the car stereo continues unchanged until one of the  
24 buttons is pressed. If the user presses a button, the procedure determines whether  
25 the button pressed was the BND button (block 212). If the button was the BND

1 button, then the procedure returns to block 204 to modify the functions associated  
2 with the other buttons on the faceplate based on the new band selection. If the  
3 button pressed was not the BND button, then the procedure returns to block 208,  
4 where the car stereo performs the selected function.

5 Once a particular band has been selected, the behavior of the other buttons  
6 on the faceplate changes to the appropriate behavior for the selected band type.  
7 The appropriate behavior of the various buttons for each band type is discussed  
8 below.

9 Fig. 3 illustrates a car stereo faceplate in the FM1 mode. The faceplate  
10 shown in Fig. 3 is substantially the same as faceplate 34 shown in Fig. 1. The  
11 faceplate display indicates that the first preset has been selected (indicated by  
12 "1:"), which is radio station KNDD having a frequency of 107.7. In the FM1  
13 mode, the buttons on the faceplate perform the following functions:

14  
15 1-6 Presets: Press: Switches to a preset radio frequency.

16 Press & Hold: Sets the preset to the current radio frequency.

17 Reverse: Press: Scans backwards through the radio frequencies.

18 Press & Hold: Scans backward through the cache of the  
19 currently playing radio frequency.

20 Forward: Press: Scans forward through the radio frequencies.

21 Press & Hold: If the radio frequency currently playing was  
22 paused then it scans forward through the cache of the  
23 currently playing radio frequency.

24 Play/Pause: Press: Pauses or restarts radio broadcast by saving the audio  
25 stream to storage.

1           Action:       Press: Saves the current playing song or small historical time  
2                           segment (the last 5 minutes and the next five minutes).

3  
4       Similar functions are associated with the buttons in other radio band modes (e.g.,  
5       FM2, FM3, and AM).

6           Fig. 4 illustrates a car stereo faceplate in the CD mode. The faceplate  
7       display indicates that the first CD in a CD changer has been selected, which is an  
8       audio CD containing music from the Beatles' album "Abbey Road". In the CD  
9       mode, the buttons on the faceplate perform the following functions:

10  
11       1-6 Presets: Press: Switches to a CD within a CD changer.

12       Reverse:       Press: Skips to previous track on the current CD.

13                   Press & Hold: Scans backward within the current track on the  
14                   current CD.

15       Forward:       Press: Skips to next track on the current CD.

16                   Press & Hold: Scans forward within the current track on the  
17                   current CD.

18       Play/Pause: Press: Pauses or plays the current track on the current CD.

19       Action:       Press: Saves the current playing track to storage and places  
20                   the song in the next available preset track on a WM band.

21                   Press & Hold: Save the current playing CD to storage and  
22                   places the CD in the next available preset on a WM band.

23  
24       Fig. 5 illustrates a car stereo faceplate in the WM (Windows Media) mode.  
25       The WM band presents represent an audio playlist. The WM band may also be

1 referred to as a digital media band. The playlist could represent a saved CD, a  
2 random set of 10 songs from a musical collection or songs from a radio collection.  
3 The faceplate display indicates that the first playlist has been selected, which is a  
4 morning issue of the NPR broadcast. In the WM mode, the buttons on the  
5 faceplate perform the following functions:

6  
7 1-6 Presets: Press: Switches to a preset playlist that has either been saved  
8 (from radio or CD) or loaded via (wireless or removable)  
9 storage medium.

10 Reverse: Press: Skips to previous track in the current playlist..  
11 Press & Hold: Scans backward within the current track in the  
12 current playlist.

13 Forward: Press: Skips to next track in the current playlist.  
14 Press & Hold: Scans forward within the current track in the  
15 current playlist.

16 Play/Pause: Press: Pauses or plays the current track in the current playlist.

17 Action: No function for this band.

18  
19 Fig. 6 illustrates a car stereo faceplate in the PT (Phone Task) mode. The  
20 faceplate display indicates that the first phone task has been selected, which is a  
21 phone task to cancel a dentist appointment. In one embodiment, phone tasks are  
22 personal information manager (PIM) tasks that require a phone call to complete the  
23 task. Phone tasks contain a simple set of text reminders as to what needs to be  
24 done with the task and an associated phone number to call to complete the task. In  
25 the PT mode, the buttons on the faceplate perform the following functions:

1-6 Presets: Press: Selects a phone task that has been loaded via (wireless or removable) storage medium. The first line of the text description of the task is placed on the display. The primary audio output is not interrupted.

Reverse: Press: Display is changed to previous line of text description of the current task.

Press & Hold: Display is changed to the first line of the text description of the current task.

Forward: Press: Display is changed to the next line of the text description of the current task.

Press & Hold: Display is changed to the last line of the text description of the current task.

Play/Pause: Press: Translates the description of the current task from text to speech. Interrupts the current primary audio output while the translation is playing and resumes once the translation is completed.

Action: Press: Dials the phone number associated with the current task. Interrupts the primary audio output while the call is being made and resumes once it is completed. If a call was in progress, then the phone is hung up.

Press & Hold: Marks the task as completed.

Fig. 7 illustrates a car stereo faceplate in the NT (Navigation Tasks) mode. The faceplate display indicates that the first step in navigating to the desired

1 destination (Turn Left on 148th Street). Navigation tasks is a list of directions that  
2 are used to get from one point to another. In the NT mode, the buttons on the  
3 faceplate perform the following functions:

4  
5 1-6 Presets: Press: Selects a navigation task that has been loaded via  
6 (wireless or removable) storage medium. The first line of the  
7 text direction of the task is placed on the display. The primary  
8 audio output is not interrupted.

9 Reverse: Press: Display is changed to the previous line of the text  
10 direction of the current task.

11 Press & Hold: Display is changed to the first line of the text  
12 direction of the current task.

13 Forward: Press: Display is changed to the next line of text direction of  
14 the current task.

15 Press & Hold: Display is changed to the last line of the text  
16 direction of the current task.

17 Play/Pause: Press: Translates the current line of the text direction of the  
18 current task from text to speech. Interrupts the current  
19 primary audio output while the translation is playing and  
20 resumes once the translation is complete.

21 Action: No function for this band.  
22

23 Fig. 8 illustrates a car stereo faceplate in the CL (Contact List) mode. The  
24 faceplate display indicates that the first preset (1) in has been selected (Sherry's  
25



home phone number). In the CL mode, the buttons on the faceplate perform the following functions:

1-6 Presets: Press: Selects a preset contact from the list. The name and phone number of the contact is placed on the display. The primary audio output is not interrupted.

Press & Hold: Saves the current contact to the current preset.

Reverse: Press: Skips to the previous contact in the entire contact list.

Press & Hold: Skips backwards 10 contacts.

Forward: Press: Skips to the next contact in the entire contact list..

Press & Hold: Skips forwards 10 contacts.

Play/Pause: Press: Translates the contact name from text to speech. Interrupts the current primary audio output while the translation is playing and resumes when the translation is completed.

Action: Press: Dials the currently selected phone number. Interrupts the current primary audio output while the call is being made and resumes once it is completed. If a call was in process then the phone is hung up.

The various bands and functions discussed above are provided by way of example. A particular car stereo system may offer any number of different bands and functions, including bands and functions not discussed herein.

A particular audio browser includes a memory capable of storing an operating system and one or more application programs that execute on one or

1 more microprocessors. The microprocessor(s) are programmed by means of  
2 instructions stored at different times in various computer-readable storage media of  
3 the device. This storage media may include, for example, smart cards, a disk  
4 drive, or other volatile or non-volatile storage mechanism. Application programs  
5 are typically installed or loaded into the secondary memory of a computer. At  
6 execution, the application programs are loaded at least partially into the computer's  
7 primary electronic memory. The invention described herein includes these and  
8 other various types of computer-readable storage media when such media contain  
9 instructions or programs for implementing the steps and features described herein  
10 in conjunction with a microprocessor or other data processor. The invention also  
11 includes the computer and other devices themselves when programmed according  
12 to the methods and techniques described herein.

13 Although the invention has been described in language specific to structural  
14 features and/or methodological steps, it is to be understood that the invention  
15 defined in the appended claims is not necessarily limited to the specific features or  
16 steps described. Rather, the specific features and steps are disclosed as preferred  
17 forms of implementing the claimed invention.

18  
19  
20  
21  
22  
23  
24  
25